

Investigations of the Solubility of H₂ in Ni-Cr and Ni-Si Alloys, by H. Schenck GERMAN, per, Archiv. Eisenhuttw. 39, 1968, pp. 673-676.
*NBS TT 70-57271

Sci/mater Jul 70

Embrittlement of Various Steels Through Absorption of Hydrogen from Wet Hydrogen Sulfide, by E. E. Hofmann.

GERMAN, per, Archiv f. d. Eisenhuttenwesen, Vol 39, No 9, 1968, pp 677-682.


IIB 7613


GEC/UCRL-TR-10407-69

Sci-Mat Mar 69

Powder-Metallurgical Contributions to the Ternary Systems Pe-W-C and Fe-Mo-C, by W. Jellinghaus.
GERMAN, per, Arch. Eisenh, 39, 1968, pp. 705-718.
*NBS TT 70-57279

Jul 70






Measurement of the Flattening of the Rolls of a Four-High Stand During Rolling, by P. Pawelski, H. Schroeder.

HEMAN, per, Arch. Eisenh, Vol 39, Oct 1968, pp 747-754.

BISI 7007

sci/materials aug 69

388,588




X-ray Spectrometric Analysis of Ferrosilicon and Calcium-Silicon, by F. Wagner.

GERMAN, per, Archiv f.d. Eisenhuttenwesen, Vol 39, No 10, 1968, pp 759-762.

HB 7665

Sci-Mat Apr 69

377,756



Constitution and Thermodynamic Properties of Alloys, by T. Haumann.
GENERAL, per, Arch Eisenhuttenw., No 39, 1968, pp 783-792.
WEBS IT 70-53103
Available WEB Only
NBS

Effect of Certain Elements on Iron Crystallization During Solidification, by A. Rose. GERMAN, per, Arch. Eisenh, Vol 39, No 10, Oct 1968, pp 793-797.
BISI 6907

Sci-Materials Feb 69

375,330

Influencing the Equilibria between Carbon and Oxygen in Moltern Iron by Means of Nickel, Chromium and Silicon, by H. Schenck, et al. GERMAN, per, Arch Eisenh, Vol 39, Nov 1968, pp 803-808.
BISI 7200

Sci/Materials
Jun 69

383,08D


Importance of the Temperature and Ferrous Oxide Content of the Slag During the Dissolution of Lime in the Basic Open Hearth Process, by E. Schurmann, et al.


GERMAN, per, Arch. Eisenh., Vol 39, No 11, November 1968, pp 815-821.

BISI 7058

Sci-Mat May 69

382,411






Segregation of the Alloying Elements During
ths Dendritic Solidification of Ferrous Metals,
by A. Rose, et al.

GERMAN, per, Arch Risenh, Vol 39, Nov, 1968,
pp 829-836.
BISI 7575

Sci-Mat
Sep 70



Structure and Mechanical Properties of a Ferritic-austenitic Steel Containing Approximately 25t Chromium and 4t Nickel, by H. J. Schuller, H. Henneke.

GERMAN, per, Arch Eisenhutt, No 39, 1968, pp 843-848.

NLL Ref: 9022.401 (746-80)

Sci/Mat Mar 70

401,875

APPROVED FOR RELEASE: Monday, June 30, 2003

An Improved Specimen Stressing Device for Testing of Steels for Susceptibility to Intercrystalline Stress Corrosion Using Jones-type Specimens, by W. Hummitzsch, W. Zwintzscher.

GERMAN, per, Arch Eisenhutt, No 39, 1968, pp 849-854.

NLL Ref: 9022.401 (746-81)

Sci/Mat Nar 70

401,904

The Effect of Various Alloying Elements on the Size of the Gamma-Phase in the Fe-Cr-C System. Part II. The System Fe-Cr-C-Ni, by K. Bungardt. GERMAN, per, Arch Eisenhutten, Vol 39, 1968, pp 863-867.

*NTIS/USDC/NBS TT 71-55079
Available NBS Only

May 71

Influence of the Elements Manganese, Silicon and Aluminum on the Rate of Sulfur Transfer, by H. Schenck.
GERMAN, per, Archiv fur Eisenhuttenwesen, Vol 39, No 12, 1968, pp 893-894.
HB 7746

Sci-Math June 69

383,261

The FeO-NiO Constitutional Diagram and the Equilibria Between FeO-NiO (Al₂O₃) Slags and Iron-Nickel Melts at Steelmaking Temperatures, by II. Schanck, et al.

GERMAN, per, Arch. Eisenh., Vol 39, Dec 1968, pp 895-901.

BISI 7112

Sci-Mat June 69

382,863

On the Photometric Determination of the Zirconium Content of Steel and of Its Structmeal Constituents, by H. Keller, K. Hennesen.

GERMAN, per, Archiv Eisenh, Vol 39, No 12, 1968, pp 921-924.

HB 7709

Sci-Mat June 69

383,284

On the Application of Atomic Absorption Spectroscopy in the Analysis of Oxide and Metal Samples, by K. H. Koch, K. Chls. GERMAN, per, Archiv Eisenhuttenwesen, Vol 39, No 12, 1968, pp 925-928.

IB 7727

sci/materials aug 69

388,604

Effect of Type of Cold Working and of Natural and Artifical Agoing on the Displacement of the Transition Temperature of the Metch Impact Temphrass of Compa Structural Steels, by G. Altmayer and H. Fariwar-Nebseni, CHEMAN, per. Arch. Eisenh., Vel. 39, No 12, 1968, pp 929-984.

BISI 7568

Sci/Mat Apr 70

406,665

Investigations on the Determination of the Delta Ferrite Content in Austenitic Steels, by P. Dunner.

GERMAN, per, Archiv Eisenh, Vol 39, No 12, 1968, pp 945-948.

HB 7697

Sci-Mat June 69

383,262

Determination of the Activity of Cobalt 60 in Pig Iron by Measuring the -Radiation, by G. Sommerkorn, GERMAN, per. Arch. Eisenh., Vol 39, Dec., 1968, pp 959-962.
BISI 7733

Sci/Mat Sep 70


Saturated States of Slags of the Oxygen Top-Blowing Process With Low Phosphorus Pig Iron and Their Paths of Concentration in the Quasi-Temary System (CaO) - (SiD₂) - (FeO) , by F. Bardenheuer, et al. CERMAN, per, Arch. Eisenh, Vol 40, No 8, 1968, pp 571-576. *BISI 7840

sci/materials dec 69

Hydrogen Solubility in Slags of the System
C20-"Fe0"-SiO₂, by M. Wahlster, H.-H. Peichel.
GENTAN, per, Arch. Eisenh, Vol 40, No 1, 1969,
pp 19-25.
BISI 7385

Sci/ materials
sept 69

390,934



Detection of Carbon with the Electron Microprobe, by E. Kohlhaas, F. Scheiding.
GERMAN, per, Arch Elsenh, Vol 40, Jan 1969, pp 47-51.
BISI 7650
NLL Ref 9022.401 (946/118)

Sci-Mat June 70

Routine Employment of an Atomic Absorption Spectrometer in the Laboratory of an Iron and Steel Works, by P. Konig, et al. GERMAN, per, Arch. Eisenh., Vol 40, No 1, 1969, pp 53-56. BISI 7383

sci/ materials oct 69

394,303

Effect of a Three Stage Heat Treatment on the Mechanical Properties of Low Alloy Weldable Steels, by K. Born, K. Haarmann.
GERMAN, per, Arch. Eisenh., Vol 40, No 1,
January 1969, pp 57-66.
BISI 7114

Sci-Mat
June t69

382,864

The Hydrogen Diffusion and the Mechanical Embrittlement at Electrolytic Absorption of Hydrogen in Low-Carbon Steel, by

F. Erdmann-Jesnitzer. Wol.

GERMAN, per, Arch Elsenh, No 40, 1969, pp 73-80.

*NBS TT 70-57541

Sci-Mat Aug 70

Sampling of Liquid Steel for the Determination of the Hydrogen Content, by W. Thomich. CERMAN, per, Archif f.d. Eissenhuttenwesen, Vol 40, No 2, 1969, pp 121-123.

HB 7736

sci/ materials aug 69

388,617

The Problem of Heat-Treating Cold-Formed Tube Bends Made From Heat-Resistant Steels, by G. Lautenbusch, et al. GENTAN, per, Arch. Eisenh, Vol 40, No 2, 1969, pp 131-138. NISI 7183

sci/ materials sept 69

393,021

Electrical Conductivity and Degassing of Loose
Metal Powders Under the Influence of Temperature,
by F. Fraunberger, H. Kniepkamp.
GERAWN, per, Archiv Eisenhuttenwesen, Vol 40,
No 2, 1969, pp 139-142.
HB 7737

sci/materials aug 69

388,603

The Delta Ferrite Content of Austenitic Chrome-Nickel Steels in the Equilibrium and Disequilibrium Conditions, by H. Kohl. GERTYN, per, Archiv Eisenhuttenwesen, Vol 40, No 2, 1969, pp 143-146. HB 7738

sci/materials aug 69

388,612

A Fully Automatic Hardness Testing Apparatus for Plotting End-Quench Curves, by F. Stricker, H. Irmisch. GERMAN, per, Archiv Eisenh, Vol 40, No 2, 1969, pp 159-162.

HB 7739

Sci-Mat June 69

383,291

Comparison of the Behaviour of Alumina and Silica in the Reactions of Slags Rich in Lime With Iron Metts in the Graphite Crucible, by W. Oelsen. GERMAN, per, Arch. Eisenh. Vol 40, No 3, 1969, pp 201-213. *BISI 7426

sci/ materials sept 69

The Combination of the Nitrogen With Soda and Blast Furnace Slags, by H. Bosch, et al. CERNAN, per, Arch. Edsenh, Vol 40, No 4, 1969, pp 271-276.
BLSI 7370

sci/materials oct 69

394,299

Review of Methods of Testing the Toughness of High Strength Steels, by A. Randak, K. Vetter. GERWIN, per, Arch. Eisenh. Vol 40, Apr 1969 pp 285-295.
**HISI 7993

sci/materials feb 70

Effect of Chemical and Mechanical Activation on the Neduction of Iron Oxides by Means of Carbon, by G. Naeser, N. Dautzenberg. GERMAN, per, Archiv Eisenhuttenwesen, Vol 40, No 4, 1969, pp 297-300.

sci/materials aug 69

388,42 621

Properties of Sintored Steels Produced of Unalloyed and Alloyed Powders Obtained by Water Atomization of Molten Steels, by N. Dautzenberg.

GERMAN, per, Arch Eisenhutt, No 40, 1969, pp 351-357.

NLL Ref: 9022.401 (746-200)

Sci/Mat Mar 70

401,925

Contribution to the Preparation of High-Purity Iron, by H. Imgrund.

GERMAN, per, Arch Eisenhuttenwesen, Vol 40, 1969, pp 405-409.

**NTIS/NBS TT 71-55297

Available NBS Only


July 71


APPROVED FOR RELEASE: Monday, June 30, 2003 CIA-RDP91-00929R000201070030-9

Contribution to the Study of Heat Treatment from the Heat of Shaping, by H. Borchers, et al. GERMAN, per, Arch Bleech, Vol 40, No 5, 1969, pp 437-444 BISI 7659

Austenitic Grain Growth in Plain Carbon Steel at 700-1200°C., by A. Domsa, GERMAN, per. Arch. Eisenh., Vol 40, June, 1969, pp 489-492.

BISI 7886





Acceleration of the Reduction of Iron Oxides by the Addition of Nucleation Agents, by W. Morawietz and H. -D. Schaefer. GERMAN, per, Archiv fuer das Eisenhuettenwesen, Vol 10, 1969, pp 531-533. No 7 NTC 71-141-05-11F

Feb 72

Contribution to the Cognition of the Iron Corner of the System Iron-Vanadium-Carbon, by R. Ebeling. GERMAN, per, Arch Eisenhuttenwesen, Vol 40, 1969, pp 551-555.
**NTIS/NBS TT 71-55285
Available NBS Only

July 71

A LEC 4 ((ORNL-tr-2423) MARTENSITIC TRANSFORMATIONS IN LOW-CARBON AUSTENITIC CHROME-NICKEL STEELS. Schumann, Hermann; von Fircks, Hans-Jochen. 10 Translated for Oak Ridge National Lab., Tenn., from 15 Arch. Eisenhuettenw.; 40: 561-8 (1969). 2019p. 21 Dep. NTIS.

28

28

28

28

28

MN-25 29 P NSA

The True Constitutional Diagram and Establishment of Equilibrium in the Termery System Iron-Cobelt-Rickel, by W. Koster and W. D. Hachl, GENCLE, per. Appliv Riconfiniterance 1969, pp 569-574. EB 8074 10, Vol 40, No 7, May 70

Changes of State in the Heat Treatment of Iron-Cobalt-Nickel Alloys with Nickel Contents of Up to 40% and Their Effect on the Alloy Properties, by W. Koster, W.-D. Heshl. GERMAN, per, Archiv Eisenbuttenwesen, Vol 40, No 7, 1969, pp 575-583. HB 8075

Sci-Met June 70

On the Theory of Metallurgical Processes During the Solidification of Steel, by F. Oeters, et al. GERMAN, per, Arch Elsenh, Vol 40, Aug 1969, pp 603-613. BISI 7818

Sci-Mat June 70

The Calcium Oxide-Ferrous Oxide System as a Basis for the Study of the Dissolution of Line in Steelmaking, by K. H. Obst, J. Stradtmann. GERMAN, per, Archiv Eisenhuttenwesen, Vol 40, No 8, 1969, pp 615-617.

HB 7928

sci/materials
nov 69

395,437

Diffusion of Silicon, Phosphorus, Sulphur and Manganese in Molten Iron, by A. Majdic. GIRMAN, per, Arch Eisenhuttenw, Vol 40, 1969, pp 627-630.
**MTIE/NES TT 71-55185
Available NES Only

June 71

The Effect of Pores on the Effusion of Hydrogen from Iron at Room Temperature, by G. Lange.
GERMAN, per, Eisenhuttenwesen, Vol 40, Aug 1969, pp 635-639.
G. E. Trans. 5466D

Sci-Chem
Dec 70

Determination of the Tensile Strength of Sintered Metals by Means of Ultrasonic Measurements, by D. Pohl.

GERMAN, per, Archiv Eisenhuttenwesen, Vol 40, No 8, 1969, pp 647-650.

HB 7927

sci/ materials nov 69

395,435

Operational Experience in the Determination of Oxygen and Nitrogen Contents of Steel During Melting, by P. Konig, GERMAN, per. Arch Eisenh., Vol 40, No 9, 1969, pp 681-684.
BISI 9950

Aug 72


Aluminium Oxide and Mullite as Solid Electrolytes in Oxygen Measuring Cells, by W.A. Fischer and D. Janke,
GERMAN, per. Arch. Eisenh., Vol 40, No 9,
1969, pp 707-716.
BISI 8311

AFC (BNWL-tr-72) CARBON ACTIVITY AND SOLUBILITY IN A STAINLESS CHROMIUM—NICKEL STEEL WITH ABOUT 18 PERCENT Cr AND 9 PERCENT Ni. Tuma, Hanus; Groebner, Pavel; Loebl, Karel. 10 Translated for Battelle Pacific Northwest Labs., Richland, Wash., from 18 Arch. Eisenhuettenw.; 40: No. 9, 727-31 (1969). 2014p. 24 Dep. NTIS.

26metallurgy; translations 2,11F

28MN-25 29P NSA

C.E. TR-5635




Atomic Absorption Spectrophotometric Analysis of Oxides and Carbides Separated from Steel, by K. H. Sewer and M. Hitsche, GERMAN, per. Archiv Risenbuttenmesen, Vol 40, No 11, 1969. 391-913 HB 8141

Sc1/Mat May 70

APPROVED FOR RELEASE: Monday, June 30, 2003 CIA-RDP91-00929R000201070030-9


Equilibria Between Molten Iron and Saturated Slags of the System CaO-FeO-MnO-SiO2i at 1600°C Taking Account of the Repartition of Sulphur, by E. Gorl. GRRMAN, per, Arch Risen, Vol 40, 1969, pp 959-967. *BISI 8309

Sci-Met June 70



Rapid Determination of Permeability of [Steel] Sheet to Hydrogen, by P. Konig, GERMAN, per. Archiv. F.D. Eisenhuttenwesen, Vol 39, No 12, 1969, pp 991-992.
HB 8138

Sci/Mat Feb 71



Contribution to the Electrometric Determination of Manganese, by W. Thomich.
GERMAN, per, Arch Eisenh, Vol 40, Dec 1969, pp 995-996.
BISI 8154

Sci-Mat Jul 70

The Coercive Field Strength of Pure Iron as Well as of Pure Iron-Silicon and Iron-Aluminium Alloys as Dependent on the Melting Process and on Het Treatment, by A. Hoffmann, GERMAN, per. Arch. Eisenh., Vol 40, No 12, 1969, pp 999-1003.

BISI 8764

Jul 71

